


# HMK-A06(CSM)



Type: Kettle Seal  
 Replacement: AES CSM  
 Temperature: -45°C to +150°C  
 Pressure :  $\leq 2.1$  Mpa  
 Speed :  $\leq 25$  m/s  
 Material: A,B,U1,U2,Q1,  
 Q2,F,V,G,K,T,M5

d ( mm)	D2 6	L4	L5	L3	D1			N		L1	L2	K ( max)
					min	min t	max	min	max			
24	104.8	54.0	49.2	13.2	40.0	41.0	46.0	67.0	90.5	28.6	40.5	1.0
25	104.8	54.0	49.2	13.2	41.0	42.0	49.0	67.0	90.5	28.6	40.5	1.0
28	108.0	57.2	52.4	13.2	44.0	45.0	52.3	70.3	93.6	28.6	40.5	1.0
30	111.0	60.4	55.6	13.2	46.0	47.0	55.5	73.5	96.8	28.6	40.5	1.0
32	111.0	60.4	55.6	13.2	48.0	49.0	55.5	73.5	96.8	28.6	40.5	1.0
33	111.0	60.4	55.6	13.2	49.0	50.0	55.5	73.5	96.8	28.6	40.5	1.0
35	111.0	63.5	58.8	13.2	51.0	52.0	57.5	76.6	96.8	28.6	40.5	1.0
38	127.0	71.5	65.0	16.4	57.2	58.2	60.4	85.7	114.3	28.6	44.5	1.0
40	127.0	71.5	65.0	16.4	58.0	59.0	60.4	85.7	114.3	28.6	44.5	1.0
43	139.7	81.0	71.4	16.4	61.0	62.0	69.9	95.3	127.0	28.6	44.5	1.0
45	139.7	81.0	71.4	16.4	63.5	64.5	69.9	95.3	127.0	28.6	44.5	1.0
48	139.7	81.0	71.4	16.4	66.7	67.7	73.0	95.3	127.0	28.6	44.5	1.0
50	152.4	90.5	77.8	16.4	68.0	69.0	76.2	104.8	139.7	28.6	44.5	1.0
53	152.4	90.5	77.8	16.4	71.0	72.0	76.2	104.8	139.7	28.6	44.5	1.0
55	165.1	96.8	84.1	16.4	74.0	75.0	82.5	114.3	149.2	28.6	44.5	1.0
58	165.1	96.8	84.1	16.4	76.2	77.2	82.5	114.3	149.2	28.6	44.5	1.0
60	165.1	96.8	84.1	16.4	79.4	80.4	85.7	114.3	149.2	28.6	44.5	1.0
63	177.8	109.5	96.8	19.6	85.8	87.3	92.1	127.0	160.3	31.8	47.7	1.5
65	177.8	109.5	96.8	19.6	88.9	90.4	95.3	127.0	160.3	31.8	47.7	1.5
68	177.8	109.5	96.8	19.6	92.1	93.6	98.4	127.0	160.3	31.8	47.7	1.5
70	177.8	109.5	96.8	19.6	92.1	93.6	98.4	127.0	160.3	31.8	47.7	1.5
75	190.5	125.4	108.0	19.6	98.5	100.0	108.0	142.9	173.0	31.8	47.7	1.5
80	190.5	125.4	108.0	19.6	101.6	103.1	111.1	142.9	173.0	31.8	47.7	1.5
85	203.2	135.0	117.5	19.6	108.0	109.5	117.5	155.6	182.5	31.8	47.7	1.5
90	215.9	150.8	127.0	19.6	114.3	115.8	127.0	171.5	195.2	31.8	47.7	1.5
95	215.9	150.8	127.0	19.6	117.5	119.0	130.2	171.5	195.2	31.8	47.7	1.5
100	228.6	168.3	136.5	19.6	123.9	125.4	139.7	188.9	208.0	31.8	47.7	1.5
105	228.6	168.3	136.5	19.6	130.1	131.6	149.2	188.9	208.0	31.8	47.7	1.5
110	241.3	177.8	146.1	19.6	136.5	138.0	158.8	198.4	220.6	31.8	47.7	1.5
115	254.0	186.6	155.8	19.6	142.9	144.4	168.3	211.1	230.2	31.8	47.7	1.5
120	254.0	186.6	155.8	19.6	142.9	144.4	168.3	211.1	230.2	31.8	47.7	1.5
125	254	186.6	155.8	19.6	149.2	150.7	168.3	211.1	230.2	31.8	47.7	1.5