

HM204

Apply

Range

Annular S

Pressure:

$P = -0.1 \sim$

0.25MPa

Annular S

Temperatur

$t = -40^{\circ}\text{C} \sim$

200 $^{\circ}\text{C}$

Rotation

speed:

$n \leq 500\text{r}/\text{min}$

Medium :

Acid, Alkali,


and

Macromolec

suspend

medium





Agitator Mechanical Seals

- Multiple Springs
- Externally Mounted Seal
- Single Face
- Balanced Structure

HM204 Mounting dimension (mm) (The dimension of joined agitator orifice is according to the standard of riGS-754-78)

Size	d1 (h8)	D	D0 (±0.5)	D2 (h11)	D3 (max)	D6 (A11)	D7 (H8)	H1	n-Φc
HM204-30	30	185	150	116	66	51	60	20	4-Φ18
HM204-40	40	225	170	135	76	61	70	20	4-Φ18
HM204-50	50	235	200	164	88	71	80	22	8-Φ18
HM204-65	65	235	200	164	103	86	97	22	8-Φ18
HM204-80	80	260	225	188	118	102	112	22	12-Φ18
HM204-95	95	290	225	220	135	117	127	24	12-Φ18
HM204-110	110	315	280	245	150	132	142	24	12-Φ18